

## Looking for Real Exam Questions for IT Certification Exams!

We guarantee you can pass any IT certification exam at your first attempt with just 10-12 hours study of our guides.

Our study guides contain actual exam questions, you will get word to word same on your actual test; accurate answers with detailed explanation verified by experts and all graphics and drag-n-drop exhibits shown just as on the real test.

To test the quality of our guides, you can download the one-fourth portion of any guide from <http://www.certificationking.com> absolutely free.

Besides, we also offer complete version of following exams absolutely free. You can start your certification from these free guides and if you are satisfied you can buy the rest

- ◆ Microsoft: 70-270, 70-305 ◆ Cisco: 642-901 ◆ Oracle: 1Z0-007, 200 ◆ CompTIA: 220-601
- ◆ SUN: 310-014, 310-044 ◆ Citrix: 1Y0-A01, 1Y0-256 ◆ CIW: 1D0-420 ◆ Novell: 50-686
- ◆ Adobe: 9A0-029 ◆ Apple: 9L0-005, 9L0-505 ◆ Avaya: 132-S-100 ◆ Cognos: COG-105
- ◆ CWNP: PW0-100 ◆ EMC: E20-001 ◆ Hyperion: 4H0-002 ◆ HP: HP0-771, HP0-J24
- ◆ IBM: 000-253, 000-700 ◆ Juniper: JN0-100, JN0-201 ◆ Lotus: LOT-739
- ◆ Nortel: 920-803 ◆ SAS: A00-201 ◆ SNIA: S10-100 ◆ Sybase: 510-015
- ◆ Symantec: 250-101 ◆ TeraData: NR0-011

For pricing and placing order, please visit <http://certificationking.com/order.html>

We accept all major credit cards through [www.paypal.com](http://www.paypal.com)

For other payment options and any further query, feel free to mail us at [info@certificationking.com](mailto:info@certificationking.com)

**QUESTION NO: 1**

An administrator has just configured an OpenVPN client. Upon starting the service, the following message is displayed:

TLS Error: TLS key negotiation failed to occur within 60 seconds

Which of the following statements is true?

- A. The client was unable to establish a network connection with the server.
- B. The client was able to establish a network connection with the server, however TLS key negotiation failed, resulting in a fallback to SSL.
- C. The client was able to establish a network connection with the server, however TLS and SSL security are not enabled.
- D. The client was able to establish a network connection with the server, however TLS key negotiation took longer than 60 seconds, indicating that there may be a problem with network performance.

**Answer: A**

**QUESTION NO: 2**

SELinux has just been installed on a Linux system and the administrator wants to use SELinux in permissive mode in order to audit the various services on the system. What command will switch SELinux into permissive mode?

- A. setenforce 0
- B. /etc/init.d/selinux stop
- C. selinux passive
- D. /etc/init.d/selinux startpassive

**Answer: A**

**QUESTION NO: 3**

Which of the following export options, when specified in /etc/exports, will tell the server to use the NFSv4 Pseudofilesystem?

- A. fsid=2
- B. fsid=0
- C. fsid=3
- D. fsid=1

**Answer: B**

**QUESTION NO: 4**

Which of the following are common techniques for securing a sendmail server? (Select THREE correct answers)

- A. Maintain user accounts in an LDAP directory.
- B. Enable TLS.
- C. Disable VRFY.
- D. Run sendmail in a chroot'd environment.
- E. Disable USRLKUP.

**Answer: B, C, D**

**QUESTION NO: 5**

What does ntop use for data collection?

- A. Network packets
- B. Log files
- C. Frame relay
- D. SNMP

**Answer:** A

**QUESTION NO: 6**

An administrator has successfully configured a cryptographic volume for dmccrypt, and has added the following line to /etc/fstab:

```
/dev/mapper/cryptvol /media/crypt auto defaults 0 0
```

Upon booting the system, the error message "mount: special device /dev/mapper/cryptvol does not exist" is displayed. What configuration file has the administrator forgotten to edit? (Provide the full path and filename)

**Answer:** /etc/crypttab

**QUESTION NO: 7**

What command will remove the dmccrypt mapping named cryptvol? (Provide the command with any options and parameters)

**Answer:** /sbin/cryptsetup remove crypt-vol cryptsetup remove crypt-vol

**QUESTION NO: 8**

Which LUKS action, when supplied to the cryptsetup command, will initialize a LUKS partition and set the initial key? (Provide only the action name)

**Answer:** luksFormat

**QUESTION NO: 9**

An administrator has created a mapping with the following command:

`cryptsetup luksOpen /dev/sda1 cryptvol` and has set three different keys. Which command below will delete the first key?

- A. `cryptsetup luksDelKey /dev/sda1 0`
- B. `cryptsetup luksDelKey /dev/sda1 1`
- C. `cryptsetup luksDelKey /dev/mapper/cryptvol 1`
- D. `cryptsetup luksDelKey /dev/mapper/cryptvol 0`

**Answer: A**

**QUESTION NO: 10**

What command will list basic information about all targets available to cryptmount? (Provide the command with any options or parameters)

**Answer:** `cryptmount`

`--list`

`/usr/bin/cryptmount`

`-l`

`/usr/bin/cryptmount`

`--list cryptmount -l`

**QUESTION NO: 11**

Which of the following are valid dmccrypt modes? (Choose THREE correct answers)

- A. XTS
- B. ESSIV
- C. GMR
- D. KWG
- E. LRW

**Answer:** A, B, E

**QUESTION NO: 12**

Which directive in the OpenVPN client.conf specifies the remote server and port that the client should connect to? (Provide only the directive, without any options or parameters)

**Answer:** remote

**QUESTION NO: 13**

You are certain that your kernel has been compiled with ACL support, however, when you try to set an ACL on a file, you get the following output:

```
% setfacl m user:hugh:r afile.txt
```

```
setfacl: afile.txt: Operation not supported
```

What is the most likely reason for this problem?

- A. There is an error in the command line parameters.
- B. There is no user on the system named hugh.
- C. The partition has not been mounted with the acl option.
- D. The file afile.txt doesn't exist.

**Answer: C**

**QUESTION NO: 14**

Which of the following are valid OpenVPN authentication modes? (Choose TWO correct answers)

- A. S/Key
- B. Kerberos
- C. Static Key
- D. Password
- E. TLS

**Answer: C, E**

**QUESTION NO: 15**

What is true about the permissions for the file afile given the following output from getfacl? (Select TWO correct answers)

```
% getfacl afile
# file: afile
# owner: matt
# group: support
user::rwx
user:hugh:rw
group::r
group:staff:rx
mask::rwx
```

other::r

- A. Anyone in the support group will be able to read and execute the file.
- B. The user hugh will be able to read the contents of the file.
- C. Anyone in the users group will be able to read the file.
- D. The user matt will not be able to edit this file.
- E. Anyone in the staff group will be able to read and execute the file.

**Answer:** B, E

**QUESTION NO: 16**

You wish to revoke write access for all groups and named users on a file. Which command will make the correct ACL changes?

- A. setfacl x group:\*:rx,user:\*:rx afile
- B. setfacl x mask::rx afile
- C. setfacl m mask::rx afile
- D. setfacl m group:\*:rx,user:\*:rx afile

**Answer:** C

**QUESTION NO: 17**

What is the default UDP port for OpenVPN traffic?

**Answer:** 1194



**QUESTION NO: 18**

When adding additional users to a file's extended ACLs, what is true about the default behaviour of the ACL mask for the file?

- A. The mask is modified to be the union of all permissions of the file owner, owning group and all named users and groups.
- B. The mask is left unchanged.
- C. If required, a warning is printed indicating that the mask is too restrictive for the permissions being granted.
- D. The mask is modified to be the union of all permissions of the owning group and all named users and groups.

**Answer: D**

**QUESTION NO: 19**

In which of the following scenarios **MUST** an administrator use ethernet bridging instead of routing when configuring an OpenVPN site? (Select **TWO** correct answers)

- A. Some OpenVPN clients will be installed on laptops and must be able to connect from different locations.
- B. NetBIOS traffic must be able to traverse the VPN without implementing a WINS server.
- C. The IPv4 protocol is required.
- D. It will be necessary to use an MTU setting other than the default.
- E. The IPX protocol is required.

**Answer: B, E**

**QUESTION NO: 20**

## 117-303

Linux Extended Attributes include attribute classes. Which of the following are included in the defined attribute classes? (Select THREE correct answers)

- A. default
- B. system
- C. owner
- D. trusted
- E. user

**Answer:** B, D, E

### QUESTION NO: 21

Which of the following statements are true about Linux Extended Attributes on files? (Select TWO correct answers)

- A. An attribute value may be empty.
- B. Attribute storage counts toward disk quota use.
- C. Attribute use is enabled by mounting a partition with the attr option.
- D. An attribute is file, not inode, specific. Thus, a hard linked file in two locations could have different attributes.
- E. Attributes are not used by SELinux and other kernel security modules.

**Answer:** A, B

### QUESTION NO: 22

Which command will set the user.author attribute on the file afile.txt?

- A. setfattr user.author:"A. Author" afile.txt
- B. setfattr n user.author v "A. Author" afile.txt
- C. setfattr user.author="A. Author" afile.txt
- D. setfattr a user.author="A. Author" afile.txt

**Answer: B**

**QUESTION NO: 23**

Which of the following lines in the OpenVPN server.conf file will supply a DNS server for DHCP clients to use?

- A. push "dhcption DNS 10.142.232.4"
- B. push "dhcp DNS 10.142.232.4"
- C. push "options DNS 10.142.232.4"
- D. push "dhcptions DNS 10.142.232.4"

**Answer: A**

**QUESTION NO: 24**

Which command will list all of the extended attributes on the file afile.txt along with the values?

- A. getfattr all afile.txt
- B. getfattr afile.txt
- C. getfattr list afile.txt
- D. getfattr dump afile.txt

**Answer: D**

**QUESTION NO: 25**

Which of the following statements is true when querying the extended attributes of a file that has no extended attributes set?

- A. getfattr will print a warning and exit with a value of 0.
- B. getfattr will print a warning and exit with a value of 1.
- C. No output will be produced and getfattr will exit with a value of 0.
- D. No output will be produced and getfattr will exit with a value of 1.

**Answer: C**

**QUESTION NO: 26**

Which directive must be set to 0 in a host or service definition to prevent Nagios from sending more than one alert for a particular event? (Specify only the directive without any options or parameters).

**Answer:** notification\_interval

**QUESTION NO: 27**

What is the purpose of the Safe Checks option in a Nessus configuration?

- A. Enables secure scanning over an encrypted tunnel.
- B. To prevent the use of plugins which may have a negative effect on the network being scanned.
- C. To prevent the use of plugins which may leave the Nessus server vulnerable during the scanning process.